

# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**  
Issue/Revision: 18.04.2023

Version: 5.0  
Replaces version: 4.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name: **WL-dry**  
UFI: NCHA-00A0-500W-5Y29  
Substance name: 1,3,3,3-Tetrafluoroprop-1-ene  
CAS No: 29118-24-9  
EC No: 471-480-0  
REACH Registration No: 01-0000019758-54-XXXX

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Drying spray  
Intended purpose: Medically pure drying spray to support the cleaning after the cleaning and/or disinfection of the inner surfaces of medical and dental hollow part instruments (turbines, hand pieces and contra-angles, internally cooled instruments and endoscopes).  
Uses advised against: None at intended use.  
Note: The product is intended for professional users.

### 1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier: ALPRO MEDICAL GMBH  
Mooswiesenstraße 9  
D-78112 St. Georgen (Germany)  
Telephone: +49 7725 9392-0  
Telefax: +49 7725 9392-91  
E-mail: [info@alpro-medical.de](mailto:info@alpro-medical.de)  
Internet: [www.alpro-medical.de](http://www.alpro-medical.de)

E-mail address for the competent person responsible for the safety data sheet: [doku@alpro-medical.de](mailto:doku@alpro-medical.de)

### 1.4. Emergency telephone number

In-house emergency telephone number: +49 7725 9392-0  
Monday – Friday from 08:00 am to 04:30 pm (UTC+1);  
for chemical information and legal information on hazardous substances only  
Poison centre: +49 761 19240  
Poisoning information centre, Freiburg, Germany  
(24 h / 7 d), English is spoken  
National Poisons Information Service (UK): +44 344 892 0111  
National Poisons Information Service (NPIS)  
(24 h / 7 d), Medical Professionals Only

# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**  
Issue/Revision: 18.04.2023

Version: 5.0  
Replaces version: 4.0

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 [CLP]

<i>Classification</i>	<i>Classification procedure</i>
Aerosol 3; H229	Aerosol contains ≤ 1 % flammable components and its heat of combustion is < 20 kJ/g

Full text of hazard classes as well as H-phrases: see under SECTION 16.1.

### 2.2. Label elements

#### Label elements in accordance with Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms:	-
Signal word:	Warning
Hazard components for labelling:	-
H-phrases:	H229 Pressurised container: May burst if heated.
P-phrases:	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 Do not pierce or burn, even after use. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Additional labelling in accordance with Regulation (EU) No 517/2014 and Implementing Regulation (EU) 2015/2068

Not necessary.

(HFC-1234ze does not fall within the definition of "fluorinated greenhouse gases" according to Regulation (EU) No 517/2014 Article 2 (1), as HFC-1234ze is not listed in Annex I.)

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII (see SECTION 12.5.).

The substances in the mixture have no endocrine disrupting properties according to Regulation (EC) No 1907/2006, Annex XIV (see SECTION 11 and SECTION 12.6.). They are not on the list of substances of very high concern for authorisation according to Regulation (EC) No 1907/2006, Article 59, paragraph 10).

Contact with the liquid may cause cold burns respectively frostbite.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Chemical characterisation: Liquefied gas under pressure.

#### Hazardous ingredients

<i>Chemical name</i>	<i>Identification numbers</i>	<i>Classification in accordance with Regulation (EC) No 1272/2008</i>	<i>Weight %</i>
1,3,3,3-Tetrafluoro-prop-1-ene; (R1234ze); (HFO-1234ze); (HFC-1234ze)	CAS No: 29118-24-9 EC No: 471-480-0 REACH Registration No: 01-0000019758-54-XXXX	Press. Gas L; H280	100

# Safety data sheet

## according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**  
Issue/Revision: 18.04.2023

Version: 5.0  
Replaces version: 4.0

Full text of hazard classes and H-phrases: see SECTION 16.1.  
Occupational exposure limits: see SECTION 8.1.

### 3.2. Mixtures

Not applicable.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General information: First aider: Pay attention to self-protection!  
Following inhalation: Move affected person into fresh air and keep still and warm. In case of continued complaints seek medical advice.  
Following skin contact: In case of frostbite, rinse with warm water. In case of skin reactions, consult a physician.  
Following eye contact: Flush eyes immediately with flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Consult an ophthalmologist.  
Following ingestion: There is no risk of swallowing if used as intended.

### 4.2. Most important symptoms and effects, both acute and delayed

Frostbite.

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: Water spray jet, alcohol resistant foam, extinguishing powder, carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media: Full water jet

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), hydrogen fluoride (HF), fluorophosgene (CF<sub>2</sub>O)

### 5.3. Advice for firefighters

Special protective equipment: Wear self-contained breathing apparatus.

Further information: Cool endangered containers with water spray jet.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Use personal protective equipment. See SECTION 8.2.

Avoid skin and eye contact. Do not breathe gas. Provide adequate ventilation. Evacuate danger area. Observe emergency plans. Consult experts.

#### For emergency responders

Use personal protective equipment. See SECTION 8.2.

# Safety data sheet

## according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**  
Issue/Revision: 18.04.2023

Version: 5.0  
Replaces version: 4.0

### 6.2. Environmental precautions

Not necessary

### 6.3. Methods and material for containment and cleaning up

#### Containment

Not necessary

#### Cleaning up

Let evaporate.

#### Other information

Inappropriate containment and cleaning methods are not known.

### 6.4. Reference to other sections

Information on safe handling see SECTION 7.1.

Information on personal protective equipment see SECTION 8.2.

Information on disposal see SECTION 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Precautions

Provide adequate ventilation. Do not breathe gas. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Always completely push through spray head. Do not use spray can upside down, because liquid propellant is discharging (R1234ze). Avoid decomposition of product vapours on hot surfaces.

#### Advice on general occupational hygiene

When using do not eat, drink or smoke. Wash hands before breaks and at end of work. Keep away from medicines, food, feed, cosmetics and stimulants.

### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: The official regulations regarding the storage of pressurized containers have to be considered. Keep container in a cool, well-ventilated place.

Advice on common storage: Not necessary

Further information on storage conditions: Recommended storage temperature: 0 °C – 25 °C.  
Avoid transport temperatures above 50 °C.

### 7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific end uses are stipulated.

#### Industry and sector specific guidance

[DE] TRGS 525 – Hazardous substances in medical care facilities (Section 7 Activities with disinfectants); Issue: September 2014;  
Source: GMBI 2014 page 1294-1307 of 13.10.2014 [No 63], 10.07.2015 [No. 27];  
[www.baua.de](http://www.baua.de).

[DE] DGUV rules 207-206 – Prevention of chemical risks when handling disinfectants in health service, Issue: 2016.12; [www.dguv.de/publikationen](http://www.dguv.de/publikationen)

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006**



Trade name: **WL-dry**  
 Issue/Revision: 18.04.2023

Version: 5.0  
 Replaces version: 4.0

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

Country	Limit values				Legal basis	Remarks
	Long term (8 hours)		Short term (15 minutes)			
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>		
1,3,3,3-Tetrafluoroprop-1-ene (CAS No: 29118-24-9)						
EU						no limit value specified
UK						no limit value specified

Used abbreviations, symbols, numerals and explanations in column „Remarks“

**Biological limit values**

Does not contain substances above concentration limits fixing a biological limit value.

**Information on monitoring procedures**

BS EN 482:2021-04; Title: Workplace exposure - Procedures for the determination of the concentration of chemical agents;  
 British version of EN 482:2021

BS EN 689:2018; Title: Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy;  
 British version of EN 689:2018

BS EN 14042:2003-04-24; Title: Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents;  
 British version of EN 14042:2003)

CEN/TR 17055:2017; Title: Workplace exposure. Measurement of chemical agents complying with the requirements given in EN 482 and either one of EN 838, EN 1076, EN 13205, EN 13890 and EN 13936.  
 Choice of procedures

ISO TR 14294:2011; Title: Workplace atmospheres. Measurement of dermal Exposure. Principles and methods

**8.2. Exposure controls**

**Appropriate engineering controls**

**Technical and organisational protective measures**

No special protective measures necessary.

**Personal protective equipment**

Eye/face protection: Safety glasses with side protection according to BS EN 166 are recommended

Skin protection:

Hand protection: Protective gloves according to BS EN 511 are recommended

Other skin protection: Not necessary when used as intended.

Respiratory protection: Not necessary in case of good room ventilation.

Thermal hazards: To protect against cold burns or frostbite, it is recommended to wear safety glasses and protective gloves.

# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**  
Issue/Revision: 18.04.2023

Version: 5.0  
Replaces version: 4.0

## Environmental exposure controls

Not necessary

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance/physical state:	colourless aerosol	
Odour:	of ether	
Odour threshold:	no data available	
Melting point/freezing point:	not applicable	
Initial boiling point and boiling range:	- 19 °C	
Flammability (solid, gas):	no data available	
Lower explosive limit:	not applicable	
Upper explosive limit:	not applicable	
Flash point:	not applicable	
Auto-ignition temperature:	no data available	
pH (undiluted):	not applicable	(20 °C)
Kinematic viscosity:	no data available	
Solubility in water:	insoluble	
Partition coefficient: n-octanol/water	1.6	
Vapour pressure:	4271 hPa	(20 °C)
	10800 hPa	(50 °C)
Density:	1.19 g/cm <sup>3</sup>	(20 °C)
Relative vapour density:	not determined	
Particle characteristics:	not applicable	

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Explosive substances/mixtures and products containing explosives:	not applicable
Flammable gases:	not applicable
Aerosols:	not applicable
Oxidising gases:	not applicable
Gases under pressure:	not applicable
Flammable liquids:	not applicable
Flammable solids:	not applicable
Self-reactive substances and mixtures:	Auto-ignition temperature: 368 °C
Pyrophoric liquids:	not applicable
Pyrophoric solids:	not applicable

# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**  
Issue/Revision: 18.04.2023

Version: 5.0  
Replaces version: 4.0

Self-heating substances and mixtures:	not applicable
Substances and mixtures, which emit flammable gases in contact with water:	not applicable
Oxidising liquids:	not applicable
Oxidising solids:	not applicable
Organic peroxides:	not applicable
Substances and mixtures corrosive to metals:	not applicable
Desensitised substances/mixtures and articles containing explosive:	not applicable

## 9.2.2. Other safety characteristics

Electrical conductivity (undiluted): not applicable (20 °C)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions when handled and stored as intended.

### 10.2. Chemical stability

The product is stable when handled and stored as intended.

### 10.3. Possibility of hazardous reactions

None known

### 10.4. Conditions to avoid

Keep away from heat.

### 10.5. Incompatible materials

None known

### 10.6. Hazardous decomposition products

Does not decompose when used as intended.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Product

Acute toxicity - oral:	Acute Toxicity Estimate ATE <sub>mix</sub> > 2000 mg/kg => no classification
Acute toxicity - dermal:	Acute Toxicity Estimate ATE <sub>mix</sub> > 2000 mg/kg => no classification
Acute toxicity - inhalation:	Acute Toxicity Estimate ATE <sub>mix</sub> > 20 mg/l => no classification

Note: The gas has in high concentrations a narcotic and a suffocating effect.

**Safety data sheet**  
according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**  
Issue/Revision: 18.04.2023

Version: 5.0  
Replaces version: 4.0

**Ingredients**

1,3,3,3-Tetrafluoroprop-1-ene (CAS No: 29118-24-9):

Acute toxicity - inhalation: LC<sub>50</sub>: > 965 mg/l; species: rat; 4 h; vapour; method: OECD 403

**Skin corrosion/irritation**

Product

No data available.

Note: Contact with fast expanding gas or vaporising liquid may cause cold burns/ frostbite.

**Serious eye damage/irritation**

Product

No data available.

Note: Contact with liquefied gas will cause severe eye irritation, tears, redness and swelling of the eyelids. May cause frostbite or damage to the eye tissue.

**Respiratory or skin sensitisation**

Product

No data available.

**Germ cell mutagenicity**

Product

No data available.

**Carcinogenicity**

Product

No data available.

**Reproductive toxicity**

Product

No data available.

**STOT-single exposure**

Product

No data available.

**STOT-repeated exposure**

Product

No data available.

**Aspiration hazard**

Product

No data available.

**Information on other hazards**

Endocrine disrupting properties:

No substances are contained that have endocrine disrupting properties for humans.



# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**  
Issue/Revision: 18.04.2023

Version: 5.0  
Replaces version: 4.0

## SECTION 12: Ecological information

### 12.1. Toxicity

No data available.

### 12.2. Persistence and degradability

Biodegradability:

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

The substance does not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

### 12.6. Endocrine disrupting properties

No substances are contained that have endocrine disrupting properties for non-target organisms.

### 12.7. Other adverse effects

Global warming potential:           GWP = 6

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal of the product

Product residues must be disposed of as non-hazardous waste in compliance with the Directive 2008/98/EC on waste as well as national and regional regulations. Do not mix with other waste materials.

Waste codes / waste designations according to EWC

Product residues:                   16 05 05 gases in pressure containers other than those mentioned  
in 16 05 04

#### Disposal of the packaging

Waste codes / waste designations according to EWC

Contaminated packaging:       15 01 04 metallic packaging

Recommendation

Contaminated pressurized containers must be emptied optimally and can be recycled.

## SECTION 14: Transport information

### 14.0. Transport classification

Dangerous good in sense of the transport regulations in road traffic (ADR), railway traffic (RID), inland waterway traffic (ADN), maritime traffic (IMDG-Code) and air traffic (ICAO-TI/IATA-DGR).

### 14.1. UN number

UN 1950

# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**  
Issue/Revision: 18.04.2023

Version: 5.0  
Replaces version: 4.0

## 14.2. UN proper shipping name

### ADR/RID/ADN

AEROSOLS, asphyxiant

### IMDG-Code

AEROSOLS

### ICAO-TI/IATA-DGR

Aerosols, non-flammable

## 14.3. Transport hazard class(es)

Class: 2.2

Subsidiary risk(s): -

## 14.4. Packing group

-

## 14.5. Environmental hazards

### ADR/RID/ADN

Environmentally Hazardous: No

### IMDG-Code

Marine Pollutant: No

## 14.6. Special precautions for user

Not necessary.

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## 14.8. Further information

Transport category according to ADR section 1.1.3.6: 3

Maximum total quantity per transport unit  
according to ADR section 1.1.3.6: 1000 L

Limited quantity (Maximum quantity per inner  
packaging) according to ADR/RID/ADN/IMDG-Code: 1 L

Classification code according to ADR/RID/ADN: 5A

Hazard identification number according to  
ADR/RID: -

Tunnel restriction code according to ADR/RID: E

Segregation group according to IMDG-Code  
section 5.4.1.5.11.1: -

EmS codes: F-D, S-U

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer  
not applicable

# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**  
Issue/Revision: 18.04.2023

Version: 5.0  
Replaces version: 4.0

REGULATION (EC) No 2019/1021 on persistent organic pollutants

not applicable

REGULATION (EU) No 649/2012 concerning the export and import of hazardous chemicals

not applicable

REGULATION (EU) No 648/2004 on detergents

not applicable

DIRECTIVE 2012/18/EU (Seveso III Directive) on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

not applicable

DIRECTIVE 2010/75/EU on industrial emissions (integrated pollution prevention and control)

VOC content: 100 %

REACH – List of substances subject to authorisation (Annex XIV)

not applicable

REACH – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

not applicable

COUNCIL DIRECTIVE 94/33/EC on the protection of young people at work

not applicable

COUNCIL DIRECTIVE 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding

not applicable

## 15.2. Chemical safety assessment

For this substance no chemical safety assessment has been carried out.

## SECTION 16: Other information

### 16.1. Full text of hazard classes and H-phrases

#### Hazard classes

Aerosol	Aerosol
Press. Gas L	Gases under pressure (Liquefied gas)

#### H-phrases (Hazard statements)

H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.

### 16.2. Abbreviations and acronyms

ADN	<u>A</u> ccord européen relatif au transport international des marchandises <u>d</u> angereuses par voie de <u>n</u> avigation intérieure (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	<u>A</u> ccord européen relatif au transport international des marchandises <u>d</u> angereuses par <u>r</u> oute (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BS	<u>B</u> ritish <u>S</u> tandards
CAS	<u>C</u> hemical <u>A</u> bstracts <u>S</u> ervice
CLP	Regulation on <u>C</u> lassification, <u>L</u> abelling and <u>P</u> ackaging of Substances and Mixtures
[DE]	National German regulations

# Safety data sheet

## according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**  
Issue/Revision: 18.04.2023

Version: 5.0  
Replaces version: 4.0

DGUV Deutsche Gesetzliche Unfallversicherung (English: German statutory accident insurance)  
EC European Community  
EEC European Economic Community  
EN European Standard  
EU European Union  
EWC European Waste Catalogue

GMBI Gemeinsames Ministerialblatt (English: Joint Ministerial Gazette)  
IATA-DGR International Air Transport Association - Dangerous Goods Regulations  
IBC-Code International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
ICAO-TI Technical Instructions For The Safe Transport of Dangerous Goods by Air  
IMDG-Code International Maritime Code for Dangerous Goods  
LD<sub>50</sub> Median lethal dose  
LD<sub>Lo</sub> Lowest (known) lethal dose  
LGK Lagerklasse (English: Storage class)

NOAEL No Observed Adverse Effect Level (dose at which no adverse effect is found)  
OECD Organization for Economic Co-operation and Development  
PBT Persistent, bioaccumulative and toxic  
ppm Parts per million  
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (Regulations Concerning the International Carriage of Dangerous Goods by Rail)  
TRGS Technische Regeln für Gefahrstoffe (English: Technical Rules for Hazardous Substances)  
UN United Nations  
UTC Coordinated Universal Time (French: Temps Universel Coordonné)  
VOC Volatile Organic Compounds  
vPvB Very persistent and very bioaccumulative

### 16.3. Key literature references and sources for data

- Regulation (EC) No 1907/2006 (REACH), Annex II
- European Chemicals Agency (ECHA) – Guidance on the compilation of safety data sheets; Version 4.0 (December 2022); <https://echa.europa.eu/documents>
- Regulation (EC) No 1272/2008 (CLP regulation)
- European Chemicals Agency (ECHA) – Guidance on Labelling and Packaging in accordance with Regulation (EC) No 1272/2008; Version 4.2 (03/2021); <https://echa.europa.eu/documents>
- European Chemicals Agency (ECHA), Registered substances; <https://echa.europa.eu/information-on-chemicals/registered-substances>
- European Chemicals Agency (ECHA), C&L Classification and Labelling Inventory; <https://echa.europa.eu/information-on-chemicals/cl-inventory-database>
- Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS database on hazardous substances and GESTIS - International limit values for chemical agents; <https://www.dguv.de/ifa/index.jsp>
- German Environmental Agency (Umweltbundesamt), Section IV 2.4: Office of Documentation and Information on Substances Hazardous to Waters RIGOLETTO (catalogue of Substances Hazardous to Waters); <https://webrigoletto.uba.de/rigoletto>

### 16.4. Methods according to Article 9 of Regulation (EC) No 1272/2008 for the evaluation of information for classification purposes

Literature review

### 16.5. Training advice

Provide adequate information, instructions and training for users.

**Safety data sheet**  
according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**  
Issue/Revision: 18.04.2023

Version: 5.0  
Replaces version: 4.0

**16.6. Indication of changes**

A dash in the left hand margin indicates an amendment from the previous version.

---

The information given in the safety data sheet only applies to the described product in connection with its intended use. This information is based on the latest state of our knowledge at the time of revision. In particular, it describes our product under the aspect of its hazards and safety measures to be taken. It does not constitute any guarantee of product properties and quality features.

---